

A nonprofit corporation and independent licensee of the Blue Cross and Blue Shield Association

Anesthesia ICD-10-CM Coding Tip Sheet Overview of Key Chapter Updates for Anesthesia and Top 25 Codes

Chapter 2 Neoplasms (C00-D49)

- Classification improvements
- Code expansions
- Significant expansions or revisions related to:
 - Identifying laterality for some of the neoplasm sites
 - Malignant neoplasm of male breast codes

Chapter 6 Diseases of the Nervous System (G00-G99)

- ICD-10-Cm devotes Chapter 6 to diseased of the nervous system. The sense organs (eye/adnexa and ear/mastoid processes) have their own chapters in ICD-10-CM.
- Classification improvements (significant changes to sleep disorders).
- Code expansions (for example, Alzheimer's and headaches).
- Updates to medical terminology (epilepsy, seizures).
- Codes for transient ischemic attack are now included in the nervous system chapter.
- Codes for migraine have been expanded to fifth and sixth characters to indicate if the migraine is intractable and to provide additional specificity within the code description.

Chapter 7 Diseases of the Eye and Adnexa (H00-H59)

- Diseases of the eye and adnexa are a new chapter in ICD-10-CM
- Terminology improvements (bringing terms up to date)
- Revisions to identify laterality:
 - Many of the codes have laterality designation and, in some instances, bilateral designation for diseases of the eye
 - A code for unspecified site is also provided

Chapter 11 Diseases of the Digestive System (K00-K95)

- A number of new subcategories have been added to this chapter.
- Codes for Crohn's disease have been expanded to specify site, if a complication is present, and what that complication is.
- Some terminology changes and revisions to the classification of specific digestive conditions have occurred in ICD-10-CM as well:
 - The term "hemorrhage" is used when referring to ulcers.
 - The term "bleeding" is used when classifying gastritis, duodenitis, diverticulosis and diverticulitis.

Chapter 13 Diseases of the Musculoskeletal System and Connective Tissue (M00-M99)

- Most of the codes within this chapter have site and laterality designations.
- ICD-10-CM identifies three different causes for pathological fractures: "neoplastic disease," "osteoporosis" and other specified disease.
- ICD-10-CM introduces the seventh character that describes type of encounter, or the state
 of a fracture's healing and any sequela. Some codes in this chapter will have the seventh
 character applied.

Chapter 14 Diseases of the Genitourinary System (N00-N99)

- Procedural complications affecting the genitourinary system are included in Chapter 14.
- In some of the categories, specificity is based on the gender of the patient.
- Laterality is used to identify conditions under N60 category, "benign mammary dysplasia."

Chapter 15 Pregnancy, Childbirth and the Puerperium (O00-O9A)

- The final character in most codes in this chapter indicates trimester of pregnancy rather than the current episode of care as with ICD-9-CM. Trimesters are defined as:
 - First trimester less than 14 weeks 0 days
 - Second trimester 14 weeks 0 days to less than 28 weeks 0 days
 - Third trimester 28 weeks 0 days until delivery
- Supervision of care for high-risk pregnancy is now classified to this chapter.

Chapter 21 Factors Influencing Health Status and Contact with Health Services (Z00-Z99)

- These codes are used in any healthcare setting. Z codes may be used as either first listed (principal diagnosis code in the inpatient setting), or secondary code, depending on the circumstances of the encounter. Certain Z codes may only be used as first-listed or principal diagnosis in certain conditions-refer to Official Coding Guidelines for details.
- Aftercare code note:
 - In ICD-10-CM Aftercare Z codes are not used for aftercare of fractures.
 - For aftercare of a fracture, assign the acute fracture code with the 7th character extension of D for subsequent encounter.

(Source: 2014 Draft ICD-10-CM Official Guidelines for Coding and Reporting)

Examples of Coding Laterality

- C50.111 Malignant neoplasm of central portion of right female breast
- C50.112 Malignant neoplasm of central portion of left female breast
- C50.119 Malignant neoplasm of central portion of unspecified female breast
- C50.121 Malignant neoplasm of central portion of right male breast
- C50.122 Malignant neoplasm of central portion of left male breast
- C50.129 Malignant neoplasm of central portion of unspecified male breast

The top 25 Anesthesia ICD-9 to ICD-10 code mappings is found in the chart below.

Top 1-25	ICD-9	Description ICD-9	ICD-10	Description ICD-10
1	724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified	M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
			M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region
			M51.16	1 7,
			M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
			M54.14	1 37
			M54.15	Radiculopathy, thoracolumbar region
			M54.16	Radiculopathy, lumbar region
			M54.17	Radiculopathy, lumbosacral region
2	721.3	Lumbosacral spondylosis without myelopathy	M47.26	Other spondylosis with radiculopathy, lumbar region
			M47.27	Other spondylosis with radiculopathy, lumbosacral region
			M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region

Top 1-25	ICD-9	Description ICD-9	ICD-10	Description ICD-10
				Spondylosis without myelopathy or
			M47.816	radiculopathy, lumbar region
				Spondylosis without myelopathy or
			M47.817	radiculopathy, lumbosacral region
				Spondylosis without myelopathy or
			M47 040	radiculopathy, sacral &
			M47.818	sacrococcygeal region
			M47.896	Other spondylosis, lumbar region
			M47.897	Other spondylosis, lumbosacral region
			10147.037	Other spondylosis, sacral &
			M47.898	sacrococcygeal region
	000.40			
3	338.18	Other acute postoperative pain	G89.18	Other acute postprocedural pain
	700	Degeneration of lumbar or	NAE4 00	Other intervertebral disc
4	722.52	lumbosacral intervertebral disc	M51.36	degeneration, lumbar region
			N454 05	Other intervertebral disc
			M51.37	degeneration, lumbosacral region
	1/70 54	Special screening for malignant	740.44	Encounter for screening for malignant
5	V76.51	neoplasms of colon	Z12.11	neoplasm of colon
6	724.2	Lumbago Cervical spondylosis without	M54.5	Low back pain Other spondylosis with radiculopathy,
7	721.0	myelopathy	M47.21	occipito-atlanto-axial region
	721.0	myclopatry	10177.21	Other spondylosis with radiculopathy,
			M47.22	cervical region
				Other spondylosis with radiculopathy,
			M47.23	cervicothoracic region
				Spondylosis without myelopathy or
			M47 044	radiculopathy, occipito-atlanto-axial
			M47.811	region
			M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
			10147.012	Spondylosis without myelopathy or
			M47.813	radiculopathy, cervicothoracic region
				Other spondylosis, occiptio-atlanto-
			M47.891	axial region
			M47.892	Other spondylosis, cervical region
			NA47 000	Other spondylosis, cervicothoracic
		Chinal standaia lumban marian	M47.893	region
8	724.02	Spinal stenosis, lumbar region, without neurogenic claudication	M48.06	Spinal stenosis, lumbar region
0	124.02	without heurogenic claudication	M48.07	Spinal stenosis, lumbosacral region
			171-10.07	Subluxation stenosis of neural canal
			M99.23	of lumbar region
				Osseus stenosis of neural canal of
			M99.33	lumbar region
				Connective tissue stenosis of neural
			M99.43	canal of lumbar region
			N400 50	Intervertebral disc stenosis of neural
			M99.53	canal of lumbar region

Top 1-25	ICD-9	Description ICD-9	ICD-10	Description ICD-10
				Osseus & subluxation stenosis of
			1400.00	intervertebral foramina of lumbar
			M99.63	region
				Connective tissue and disc stenosis of intervertebral foramina of lumbar
			M99.73	region
			11100110	Radiculopathy, occipito-atlanto-axial
9	723.4	Brachial neuritis or radiculitis NOS	M54.11	region
			M54.12	Radiculopathy, cervical region
			M54.13	Radiculopathy, cervicothoracic region
		Displacement of lumbar intervertebral		Other intervertebral disc
10	722.10	disc without myelopathy	M51.26	displacement, lumbar region
			ME4 07	Other intervertebral disc
	000.0	Harris etter de action et	M51.27	displacement, lumbosacral region
11	366.9	Unspecified cataract	H26.9	Unspecified cataract
12	720.2	Sacroiliitis, not elsewhere classified	M46.1	Sacroiliitis, not elsewhere classified
13	722.83	Postlaminectomy syndrome, lumbar region	M96.1	Postlaminectomy syndrome, not elsewhere classified
14	211.3	Benign neoplasm of colon	D12.0	Benign neoplasm of cecum
14	211.0	Defigit ficopiasiti of colori	D12.1	Benign neoplasm of appendix
			D12.1	Benign neoplasm of ascending colon
			D12.3	Benign neoplasm of transverse colon
			D12.0	Benign neoplasm of descending
			D12.4	
			D12.5	Benign neoplasm of sigmoid colon
				Benign neoplasm of colon,
			D12.6	unspecified
			K63.5	Polyp of colon
		Long-term (current) use of other		Long term (current) use of hormonal
15	V58.69	medications	Z79.3	contraceptives
			Z79.891	Long term (current) use of opiate analgesic
			219.091	Other long term (current) drug
			Z79.899	therapy
16	729.1	Myalgia and myositis, unpsecified	M60.80	Other myositis, unspecified site
		The state of the s	M60.811	Other myositis, right shoulder
			M60.812	Other myositis, left shoulder
			M60.819	Other myositis, unspecified shoulder
			M60.821	Other myositis, right upper arm
			M60.822	Other myositis, left upper arm
				Other myositis, unspecified upper
			M60.829	arm
			M60.831	Other myositis, right forearm
			M60.832	Other myositis, left forearm
			M60.839	Other myositis, unspecified forearm
			M60.841	Other myositis, right hand
			M60.842	Other myositis, left hand
			M60.849	Other myositis, unspecified hand
			M60.851	Other myositis, right thigh

Top 1-25	ICD-9	Description ICD-9	ICD-10	Description ICD-10
1-25	100-3	Description 10D-9	M60.852	Other myositis, left thigh
			M60.859	Other myositis, unspecified thigh
			M60.861	Other myositis, right lower leg
			M60.862	Other myositis, left lower leg
			M60.869	Other myositis, unspecified lower leg
			M60.871	Other myositis, right ankle and foot
			M60.872	Other myositis, left ankle and foot
			1000.072	Other myositis, unspecified ankle and
			M60.879	foot
			M60.88	Other myositis, other site
			M60.89	Other myositis, multiple sites
			M60.9	Myositis, unspecified
			M79.1	Myalgia
			M79.7	Fibromyalgia
17	723.1	Cervicalgia	M54.2	Cervicalgia
		Osteoarthrosis, unspecified whether		ŭ
18	715.96	generalized or localized, lower leg	M17.9	Osteoarthritis of knee, unspecified
19	V12.72	Personal history of colonic polyps	Z86.010	Personal history of colonic polyps
				Encounter for full-term uncomplicated
20	650	Normal delivery	O80	delivery
04	700.4	Degeneration of cervical intervertebral disc	MEO OO	Other cervical disc degeneration,
21	722.4	intervertebrai disc	M50.30	unspecified cervical region Other cervical disc degeneration, high
			M50.31	cervical region
			1000.01	Other cervical disc degeneration,
			M50.32	mid-cervical region
				Other cervical disc degeneration,
			M50.33	cervicothoracic region
				Diverticulosis of large intestine
	500.40	Diverticulosis of colon (without	1/57.00	without perforation or abscess without
22	562.10	mention of hemorrhage)	K57.30	<u> </u>
				Diverticulosis of both small and large intestine without perforation or
			K57.50	abscess without bleeding
			1107.00	Diverticulosis of intestine, part
				unspecified, without perforation or
			K57.90	abscess without bleeding
				Age-related nuclear cataract,
23	366.16	Senile nuclear sclerosis	H25.10	unspecified eye
			1105.44	Age-related nuclear cataract, right
<u> </u>			H25.11	eye
 			H25.12	Age-related nuclear cataract, left eye
 			H25.13	Age-related nuclear cataract, bilateral
24	354.0	Carpal tunnel syndrome	G56.00	Carpal tunnel syndrome, unspecified upper limb
				Carpal tunnel syndrome, right upper
			G56.01	limb
			050.00	Carpal tunnel syndrome, left upper
			G56.02	limb

Top				
1-25	ICD-9	Description ICD-9	ICD-10	Description ICD-10
25	592.0	Calculus of kidney	N20.0	Calculus of kidney
				Calculus of kidney with calculus of
			N20.2	ureter

The codes highlighted in orange indicate the individual ICD-9 code that is being mapped to one or many ICD-10 codes

(Source of ICD-9-CM to ICD-10-CM mappings: CMS.org General Equivalence Mappings (GEMs), 2015)

The information in this document is not intended to impart legal advice. This overview is intended as an educational tool only and should not be relied upon as legal or compliance advice. If you have any legal questions about the information contained herein, you should consult your attorney or other professional legal services provider.